ABSTRACT OF THE DISCLOSURE

Metallic reservoirs in the form of passive or dummy vias are used on interconnects as a source or sink for electromigration material, slowing the build up of electromigration-induced mechanical stress. The passive or dummy vias are disposed in a vertical direction from the interconnect (perpendicular to the plane of the interconnect) to so that the reservoirs do not occupy additional space in the interconnect layer.